



INFRARED TOUCH SCREEN

Interactive Standee



*All pictures shown are for illustration purpose only.

FEATURES

EXTRAORDINARY VIEWING EXPERIENCE DELIVERING VIVID COLORS AND REALISTIC IMAGES



Full HD Up to 4K



Brightness Up to 800 Nits



Robust & Ruggedized Enclosure



Anti-Rust with Epoxy Power Coating Finishing



IR Touch Screen
V-Series Multi-touch Infrared Touch Screen Technology



Real-time Hardware & Software Monitoring



100% Secure Cloud Connectivity + VigitSIGN Cloud Signage Perpetual License




Multiple Mounting Option
(Floor Mounting / Free Standing / Castor Wheel)

TECHNICAL SPECIFICATION


Android Operating System



Storage
16GB



RAM
2GB



CPU
ARM Quad Core




OS
Android 8.1

MODEL	VKI4315T	VKI4915T	VKI5515T	VKS6515T
Display				
Display Size	43"	49"	55"	65"
Active Area (mm)	527.6 x 939.4	605.6 x 1074.6	682.2 x 1211.4	802.5 x 1427.5
Resolution (px x px)	3840 x 2160			
Brightness (nits)	500	400	800	500
Contrast Ratio	1200 : 1			
Display Color	16.7M			
Connectivity	WiFi 6 / LAN			
Operation Temperature	-20°C ~ 60°C			
Storage Temperature	10 – 90% RH			
Operation Time (Hrs/day)	24/7			


Windows Operating System



Storage
128GB



RAM
4GB



CPU
Intel Core i3



OS
Windows
Embedded 10

MODEL	VKI4315-IT	VKI4915-IT	VKI5515-IT	VKI6515-IT
Display				
Display Size	43"	49"	55"	65"
Active Area (mm)	527.6 x 939.4	605.6 x 1074.6	682.2 x 1211.4	802.5 x 1427.5
Resolution (px x px)	3840 x 2160			
Brightness (nits)	500	400	800	500
Contrast Ratio	1200 : 1			
Display Color	16.7M			
Connectivity	WiFi 6 / LAN			
Operation Temperature	-20°C ~ 60°C			
Storage Temperature	10 – 90% RH			
Operation Time (Hrs/day)	24/7			

SOFTWARE INTEGRATIONS



| Cloud Digital Signage

VigitSIGN



| Cloud Centralized Management

VigitADMIN



VigitWFS

Optional

| QR Code / Mobile Wayfinding Solutions
| Virtual AI Wayfinding
| Advertisement, Event & Promotion Management




VigitEYE

Optional

| Easy data tracking, eliminating the need for manual monitoring.
| Audience View Time Interval (By Face Recognition)
| Audience Gender
| Audience Group

ONE-STOP SOLUTION

FROM A TO Z, WE'VE GOT YOUR NEEDS COVERED



APPLICATIONS



Shopping Mall



Healthcare



Government Department



Commercial Building



Education Institution



Theme Park

*All pictures shown are for illustration purpose only.



Manufacturer:

V-Series International Sdn Bhd 200501031373 (713510-V) No. 17, Jalan Anggerik Mokara 31/53, Kota Kemuning, 40460 Shah Alam, Selangor D.E., Malaysia
 ☎ +6011 1011 1181 ✉ sales@v-series.net 🔍 www.v-series.net