


VigitLED

Indoor COB LED Display



RGB Fully
Flip Chip



PWM Driver
IC



Low Voltage
and Power
Consumption



WIDE°
Wide Module
Size

RGB Fully Flip Chip

Matte Fog Surface



PWM Driver IC

Low Power Consumption

Technical Specifications

MODEL	VigitLED-CM1.5	VigitLED-CM1.8
Display		
LED Type	Fully Flip Chip COB	
Pixel Pitch (mm)	1.53	1.86
Pixel Per Panel	208 x 104	172 x 86
Pixel Density (pixels / m ²)	422,753	288,906
Brightness (nits)	600cd / m ²	
Viewing Angle (V/H)	160° / 160°	
Module Size (W x H)	320 (W) x 160 (H)	
Contrast Ratio	10000:1	
Refresh Rate	3840Hz	
Video Frame Rate	50 & 60Hz	
Processing Depth	13bit	
Calibration	Support Brightness and Chroma	
Brightness Control	Manual / Automatic	
Ingress Protection	Front : IP54	
Panel Weight	0.5kg / panel	
Input Power <Max.>	285 W/m ²	280 W/m ²
Input Power <Typical>	130 W/m ²	125 W/m ²
Input Power Frequency	50~60Hz	
Input Voltage	AC90~132V / AC186~264V	
Environment	Indoor	
Operating Temperature	-10°C~45°C / 10%~50%RH	
Storage Temperature	-20°C~55°C / 10%~60%RH	
Color Temperature	1,000K~9,500K (Adjustable)	
LED LifeTime	100,000 Hours	

Applications


Multipurpose Hall



Control & Command Centre



Exhibition Wall



Conference Hall



*All pictures shown are for illustration purpose only.

The Ultimate Digital Signage Management System


Manage Smarter, Engage Better, Perform Greater.

Everything You Need for a Smarter, Faster Signage

- Remote & Flexible Content Management
- Support for WiFi
- Unlimited Content Looping Playback
- Remote Content Scheduling
- Screen Splicing
- Screen On/Off
- Data Collection & Reporting
- Content Synchronization



Upload



Digital Signage

Effortlessly Track, Analyze & Optimize

Our signage software gives you easy-to-use tools to track performance, improve your content, and keep your hardware running smoothly.



100% Secure CLOUD Based System



Support for Multi-Level User Access




Cloud & Local USB Content Update



Live Layout Preview



Real-Time Hardware & Software Monitoring








V-Series International Sdn Bhd

No. 17, Jalan Anggerik Mokara 31/53,
Kota Kemuning, 40460 Shah Alam,
Selangor D.E., Malaysia

Contact Us

 www.v-series.net
 +6011 1011 1181
 sales@v-series.net

